

WHAT IS CLAIMED IS:

1. A system for utilizing a mobile communication terminal as a wireless headset, comprising:

a personal computer (PC) adapted to gain access to an Internet phone service through an Internet network; and

a mobile communication terminal adapted to perform a function of a wireless headset of the PC when the PC accesses the Internet phone service, wherein the mobile communication terminal have a bluetooth function built therein.

2. The system according to claim 1, wherein the PC comprises a Bluetooth card for receiving a speech signal of a user from the mobile communication terminal and transmitting the received speech signal to a sound card.

3. The system according to claim 1, wherein the mobile communication terminal further comprises:

a speaker;

a microphone; and

a Bluetooth that transmits the speech signal inputted through the microphone to the PC using a Bluetooth protocol and outputs the speech signal transmitted from the PC to the speaker.

4. A system for utilizing a mobile communication terminal as a wireless headset, comprising:

a personal computer (PC) that accesses to an Internet phone service through an Internet network; and

a mobile communication terminal built therein a bluetooth function, which performs a function of a wireless headset of the PC when the PC accesses the Internet phone service, the mobile communication terminal including;

speaker;

a microphone; and

a Bluetooth device that transmits the speech signal inputted through the microphone to the PC using a Bluetooth protocol and outputs the speech signal transmitted from the PC to the speaker.

5. A method for utilizing a mobile communication terminal as a wireless headset, comprising the steps of:

setting an operating mode of the mobile communication terminal;

determining whether or not the set operating mode is a headset mode;

changing input/output ports of the mobile communication terminal if the set operating mode is the headset mode; and

transmitting a speech signal inputted through a microphone to a personal computer (PC) via a Bluetooth device of the mobile communication terminal.

6. The method according to claim 5, further comprising the step of accessing an Internet phone service after receiving the speech signal from the mobile communication terminal.

7. The method according to claim 5, wherein in the determining step, a normal wireless telephone call service is performed if the set operating mode is a general call mode.